




1 2 3 4 5 6 7 8 9 10

RoHS 客户图

目錄 MAPX	變更內容 MODIFICATION	日期 DATE
A0	NEW	09-10-20



Pin	Signal	Description	Mating Sequence	Description	Signal	Pin
2	A1	GND	First	Ground return	GND	B12 1
/	A2	TX1+	Second	/	RX1+	B11 /
/	A3	TX1-	Second	/	RX1-	B10 /
4	A4	VBUS	First	Bus Power	VBUS	B9 3
6	A5	CC1	Second	Configuration Channel	SB12	B8 5
8	A6	D+	Second	Positive half of the USB 2.0 differential pair-Position 1	D-	B7 7
9	A7	D-	Second	Negative half of the USB 2.0 differential pair-Position 1	D+	B6 10
11	A8	SB11	Second	Sideband Use(SBU)	CC2	B5 12
13	A9	VBUS	First	Bus Power	VBUS	B4 14
/	A10	RX2-	Second	/	TX2-	B3 /
/	A11	RX2+	Second	/	TX2+	B2 /
15	A12	GND	First	Ground return	GND	B1 16




产品图

深圳市鑫风雷电子有限公司
Shenzhen xinfenglei Electronic Co., Ltd

公差一览表 TOLERANCE UNLESS OTHERWISE SPECIFIED				单位 UNITS			
X	±0.30	X'	±5°	MM	比例 SCALE	1:1	审核 CHKD
X	±0.25	X'	±2°		日期 DATE	2009/10/20	核准 APPD
.XX	±0.30	.XX'	±1°		角法 VIEW	⊕	版本 VER
.XXX	±0.15	.XXX'	±0.5°				A0

RoHS 客户图

目錄 MAPX	變更內容 MODIFICATION	日期 DATE
A0	NEW	09-10-20



CONNECTOR (PCS)	REEL	CARTON
	600	6000

每盘真空包装

产品图 PRODUCT CHART DWG				深圳市鑫风雷电子有限公司 Shenzhen xinfenglei Electronic Co., Ltd			
公差一览表 TOLERANCE UNLESS OTHERWISE				单位 UNITS	制图 DRAWING	产品料号 PRODUCT PART NO.	8001F-FS16014-A
X	±0.30	X'	±5°	比例 SCALE	审核 CHKD	产品名称 PRODUCT NO.	TYPE C 16P 母座板上SMT 防水型 QH=1.65 L=8.0
.X	±0.25	.X'	±2°				
.XX	±0.30	.XX'	±1°	日期 DATE	核准 APPD	角法 VIEW	版本 VER
.XXX	±0.15	.XXX'	±0.5°	2009/10/20	雷永健		A0