






PART NO: 8005F--2000014-A


Receptacle

Receptacle	Variabler
------------	-----------



1. MATERIAL:

- 1.1 HOUSING & COVER: HIGH TEMPERATURE THERMOPLASTIC , GLASS FIBER FILLED, U94V-0, COLOR : BLUE(300c).
- 1.2 CONTACTS 5PIN: BRASS.
- 1.3 CONTACTS 4PIN: PHOSPHOR BRONZE.
- 1.4 SHELL: SUS201.
- 1.5 ISOLATED: SUS304.
2. FINISH:
 - 2.1 CONTACTS: GOLD (SEE TABLE) PLATED ON CONTACT AREA, 2.5um[100u"] MIN, MATE-TIN PLATED ON SOLDER TAIL, 1.27um[50u"] MIN. NICKEL UNDERPLATED OVERALL.
 - 2.2 SHELL: 1.27um[50u"] MIN. NICKEL PLATED OVERALL.
 - 2.3 REFLOW SOLDER CAPABLE TO 260C.



071244-25	30u"	T&R	2.0	D/C
071244-24	30u"	TRAY		
071244-33	30u"			
071244-32	15u"	T&R		
071244-31	G/F			
071244-23	30u"			
071244-22	15u"	TRAY		
071244-21	G/F			
071244-13	30u"			
071244-12	15u"	T&R		
071244-11	G/F			
071244-03	30u"			
071244-02	15u"	TRAY		
071244-01	G/F			
PART NUMBER	PLATED GOLD	PACKING	DIM.A	D/C

产品图 PRODUCT CHART DWG		深圳市鑫风雷电子有限公司 Shenzhen xinfenglei Electronics Co., Ltd	
公差一览表 TOLERANCE UNLESS OTHERWISE		单位 UNITS	MM
X.	±0.30	X.	±5°
.X	±0.25	X.	±2°
.XX	±0.20	.X.	±1°
.XXX	±0.15	.XXX	±0.5°
比例 SCALE		1:1	
日期 DATE		2009/10/20	
核准 APPROVED		制图 DRAWING	王冠 WANGGUAN
王永健 Wangyongjian		审核 CHECKED	王永健 Wangyongjian
联系方式 Mailto:zhuo@xfl.com.cn		产品料号 PRODUCT PART NO.	8005F-2000014-A
USB 3.0 A TYPE DIP 沉板式单层加高 (Ch=4.31mm) (上下对称)		产品名称 PRODUCT NO.	
mailbox: salel@xfl.com.com		www.xfl.com.cn	

1

2

3

4

5

6

7


8

9


10

RoHS


客户图





100 PCS/TRAY




COVER TRAY




10 LAYERS



10 LAYERS



CARTON



TAPE

NOTES:

1. DIMENSION:

TRAY: L=350, W=250, H=21.5

SHIPPING CARTON: L=360, W=260, H=220

2. QUANTITY: (SEE TABLE)

3. CARTON WEIGHT: (SEE TABLE)

目錄
MAPX

變更內容
MODIFICATION

日期
DATE

A0

NEW

09-10-20

产品图

PRODUCT CHART DWG

公差一览表

TOLERANCE UNLESS OTHERWISE

公差一览表	单位	公差	比例	日期	制图	审核	批准	产品料号	产品名称	联系方式
X	±0.30	X'	±5'	1:1	王冠	雷永健	雷永健	8005F-2000014-A	USB 3.0 A TYPE DIP 沉板式双层加高	mailto:sale@xfll.com
.X	±0.25	.X'	±2'	SCALE	CHD	Leiyoungjian	Leiyoungjian	PRODUCT NO.	(CH=4.3mm) (上下无翻边)	www.xfll.com
.XX	±0.20	.XX'	±1'	DATE	APPD	雷永健	Leiyoungjian	联系方式	Mailbox: sale@xfll.com	
.XXX	±0.15	.XXX'	±0.5'							

深圳市鑫风雷电子有限公司
Shenzhen xinfenglei Electronics Co., Ltd

7.80	6.63	100	10	1000
GROSS WEIGHT	NET WEIGHT	PCS/TRAY	TRAYS/CARTON	PCS/


由 Autodesk 教育版产品制作

此图由 Autodesk 教育版产品制作


PROPRIETARY TO XINFENGLEI ELECTRONIC CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

1 2 3 4 5 6 7 8 9 10

RoHS 客户图




PULL OUT DIRECTION



NOTES:

1. MATERIAL:
CARRIER TAPE: PS,
COVER TAPE: PET,
REEL: PS,
SHIPPING BOX: CORRUGATED FIBERBOARD.
2. DIMENSION:
REEL: $\phi = 330$,
SHIPPING BOX: L=350, W=350, H=315.
3. QUANTITY: SEE TABLE.
4. SHIPPING BOX WEIGHT: SEE TABLE.
5. PEELING STRENGTH: 0.1~1.3N(10~130 GRAMS)
6. PEELING SPEED: 300mm/min.



产品图

PRODUCT CHART DWG

公差一览表

TOLERANCE UNLESS OTHERWISE	公差一览表
X ± 0.30	X' $\pm 5^{\circ}$
X ± 0.25	X' $\pm 2^{\circ}$
.XX ± 0.20	.XX' $\pm 1^{\circ}$
.XXX ± 0.15	.XXX' $\pm 0.5^{\circ}$

深圳市鑫风雷电子有限公司
Shenzhen xinfenglei Electronics Co., Ltd

单位 UNITS	MM	制图 DRAWING	王冠 Wangguan	产品料号 PRODUCT PART NO.	8005F-2000014-A
比例 SCALE	1:1	审核 CHKD	雷永健 Leiyongjian	产品名称 PRODUCT NO.	USB 3.0 A TYPE DIP 沉板式双层加高 (CH=4.31mm) (上下无翻边)
日期 DATE	2009/10/20	核准 APPD	雷永健 Leiyongjian	联系方式 Mailbox/web	mailto:sale@xfl.com.com www.xfl.com.com

PCS/ REEL	REELS/ CARTON	QUANTITY <PCS>	G/W (kg)	N/W (kg)
120	6	720	7.60	4.75