


12345678910



RoHS 客户图

目錄 MAPX	變更內容 MODIFICATION	日期 DATE
A0	NEW	09-10-20



RECOMMENDED PCB LAYOUT(TOP VIEW)

SCALE: 2/1,PCB THICKNESS 1.72±0.05MM






Pin	Signal	Description	Mating Sequence	Description	Signal	Pin
2	A1	GND	First	Ground return	GND	B12 1
/	A2	TX1+	/	Second	/	RX1+ B11 /
/	A3	TX1-	/	Second	/	RX1- B10 /
4	A4	VBUS	First	Bus Power	VBUS	B9 3
6	A5	CC1	Second	Configuration Channel	VBUS	B8 5
8	A6	D+	Second	Positive half of the USB 2.0 differential pair-Position 1	D-	B7 7
9	A7	D-	Second	Negative half of the USB 2.0 differential pair-Position 1	D+	B6 10
11	A8	SBU1	Second	Sideband Use(SBU)	CC2	B5 12
13	A9	VBUS	First	Bus Power	VBUS	B4 14
/	A10	RX2-	/	Second	/	TX2- B3 /
/	A11	RX2+	/	Second	/	TX2+ B2 /
15	A12	GND	First	Ground return	GND	B1 16

产品图				深圳市鑫风雷电子有限公司			
PRODUCT CHART DWG				Shenzhen xinfenglei Electronic Co., Ltd			
公差一览表		单位	MM	制图	王冠	产品料号	8001F-FS16014-A1
TOLERANCE UNLESS OTHERWISE		UNITS		DRAWING		PRODUCT PART NO.	
X	±0.30	X'	±5°	比例	1:1	审核	雷永健
.X	±0.25	.X'	±2°	SCALE		CHD	
.XX	±0.30	.XX'	±1°	日期	2009/10/20	核准	雷永健
.XXX	±0.15	.XXX'	±0.5°	DATE		APPD	
				角法	⊕ ⊖	版本	A0
				VIEW		VER	

RoHS 客户图

目錄 MAPX	變更內容 MODIFICATION	日期 DATE
A0	NEW	09-10-20



CONNECTOR (PCS)	REEL	CARTON
	600	6000

每盘真空包装

产品图 PRODUCT CHART DWG				深圳市鑫风雷电子有限公司 Shenzhen xinfenglei Electronic Co., Ltd			
公差一览表 TOLERANCE UNLESS OTHERWISE				单位 UNITS	制图 DRAWING	产品料号 PRODUCT PART NO.	8001F-FS16014-A
X	±0.30	X'	±5°	比例 SCALE	审核 CHKD	产品名称 PRODUCT NO.	TYPE C 16P 母座板上SMT 防水型 QH=1.65 L=8.0
.X	±0.25	.X'	±2°		核准 APPD	雷永健	版本 VER
.XX	±0.30	.XX'	±1°	日期 DATE		雷永健	A0
.XXX	±0.15	.XXX'	±0.5°				